Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) and (customi\$6 or modify\$5) with (respons\$4 or output or result\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:38
L2	3	personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2) with (user adj information) and shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:41
L3	7087	707/3.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:41
L4	6097	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:41
L5	2524	707/101.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:41
L6	1058	707/8.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:41
L7	0	1 and 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:42
L8	1	1 and 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:42
L9	0	1 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:42
L10	0	1 and 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:42

		•				
L11	19	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) and personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:43
L12	2	3 and 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:44
L13		4 and 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:43
L14	0	5 and 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:43
L15	0	6 and 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:43
L16	1766	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:44
L17	1583	709/246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:44
L18	0	11 and 16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:44
L19	0	11 and 17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 21:44
L20	104	((user or client or customer or consumer) adj profile) same database same provide\$4 same (application or software) and @ay<="2001"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:52
L21	1557	707/9.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:52

L22	181	717/121.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:52
L23	2	20 and 21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:52
L24	0	20 and 22	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 21:52



Welcome United States Patent and Trademark Office

୍ଞ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

	2.1.011.02	0	
Results for "((user or customer or client profile) <in>me</in>	etadata)"		⊠ e-mail
Your search matched 73020 of 1387402 documents.			
A maximum of 100 results are displayed, 100 to a page, s	orted by Relevan	nce in Descending or	der.

» Search O	ptions	Mod	lify	Search					
	, 	((user or customer or client profile) <in>metadata)</in>							
-	on History	Check to search only within this results set							
New Searc	<u>:n</u>	Display Format: © Citation C Citation & Abstract							
		DISE	лау	Pormat: (a) Citation (c) Citation & Abstract					
» Other Re (Available I	sources For Purchase)	√ vie	w s	elected items Select All Deselect All					
Top Book	Results								
by Hanzo, Hardcover,			1.	Combining HCI techniques for better user interfacing Cudd, P.A.; Oskouie, R.; IEE Colloquium on Interfaces - The Leading Edge (Digest No.1996) 3 April 1996 Page(s):11/1 - 11/9	(126)				
Broadband	MC-CDMA for Multi-User ations, WLANs and			AbstractPlus Full Text: PDF(588 KB) IEE CNF					
Broadcasting by Hanzo, L.; M?nster, M.; Choi, B.; Keller, T.; Electronic Book, Edition: 1			2.	A user adaptable user interface model to support ubiquitous usapplications Davis, J.; Tierney, A.; Chang, E.;					
OFDM and MC-CDMA for Broadband Multi-User Communications, WLANs and				Computer Software and Applications Conference, 2005. COMPSAC 2005. 29 International Volume 1, 26-28 July 2005 Page(s):351 - 358 Vol. 2 Digital Object Identifier 10.1109/COMPSAC.2005.37					
Broadcastii by Hanzo, B.; Keller, Hardcover,	L.; M?nster, M.; Choi, Γ.;			AbstractPlus Full Text: PDF(77 KB) IEEE CNF Rights and Permissions					
Open Proc by Marca, I Paperback			3.	An analysis of online customer complaints: implications for We Yooncheong Cho; II Im; Hiltz, R.; Fjermestad, J.; System Sciences, 2002, HICSS. Proceedings of the 35th Annual Head of the State of the 35th Annual Head of the State of the 35th Annual Head of the 35th Annua	·				
	equirements			<u>Conference on</u> 7-10 Jan 2002 Page(s):2308 - 2317					
Engineering by Thayer, Paperback	R. H.; Dorfman, M.;			AbstractPlus Full Text: PDF(449 KB) IEEE CNF Rights and Permissions					
View All 59	Result(s)								
» Key			4.	Capability based admission control for broadband CDMA netw Dongxu Shen; Chuanyi Ji; Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS Volume 1, 2001 Page(s):202 - 206 vol.1					
IEEE JNL	IEEE Journal or Magazine			Digital Object Identifier 10.1109/VTC.2001.956586					
IEE JNL	IEE Journal or Magazine			AbstractPlus Full Text: PDF(456 KB) IEEE CNF Rights and Permissions					
IEEE CNF	IEEE Conference Proceeding		5.	Data mining for customer load profile analysis					
IEE CNF	IEE Conference Proceeding	Faran		Kitayama, M.; Matsubara, R.; Izui, Y.; <u>Transmission and Distribution Conference and Exhibition 2002: Asia</u>	a Pacific. IE				
IEEE STD	IEEE Standard			Volume 1, 6-10 Oct. 2002 Page(s):654 - 655 vol.1 Digital Object Identifier 10 1109/TDC 2002 1178509	-				

IEEE STD IEEE Standard



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((user or customer or client profile and servers or providers or third party)<in>metadata..." ⊠e-mail Your search matched 75723 of 1387402 documents. A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order. **Modify Search** » Search Options ((user or customer or client profile and serversor providers or third party)<in>metadate View Session History Check to search only within this results set **New Search** Display Format: © Citation C Citation & Abstract » Other Resources (Available For Purchase) view selected items Select All Deselect All **Top Book Results** 1. Combining HCI techniques for better user interfacing OFDM and MC-CDMA by Hanzo, L.; Keller, T.; Cudd, P.A.; Oskouie, R.; Hardcover, Edition: 1 IEE Colloquium on Interfaces - The Leading Edge (Digest No.1996/126) 3 April 1996 Page(s):11/1 - 11/9 OFDM and MC-CDMA for **Broadband Multi-User** AbstractPlus | Full Text: PDF(588 KB) IEE CNF Communications, WLANs and **Broadcasting** 2. A user adaptable user interface model to support ubiquitous user access П by Hanzo, L.; M?nster, M.; Choi, applications B.; Keller, T.; Davis, J.; Tierney, A.; Chang, E.; Electronic Book, Edition: 1 Computer Software and Applications Conference, 2005. COMPSAC 2005. 29tl OFDM and MC-CDMA for International **Broadband Multi-User** Volume 1, 26-28 July 2005 Page(s):351 - 358 Vol. 2 Communications, WLANs and Digital Object Identifier 10.1109/COMPSAC.2005.37 **Broadcasting** AbstractPlus | Full Text: PDF(77 KB) IEEE CNF by Hanzo, L.; M?nster, M.; Choi, Rights and Permissions B.; Keller, T.; Hardcover, Edition: 1 3. An analysis of online customer complaints: implications for Web complaints: Open Process Frameworks by Marca, D. A.; Yooncheong Cho; II Im; Hiltz, R.; Fjermestad, J.; Paperback, Edition: 1 System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii Intern Conference on Software Requirements 7-10 Jan 2002 Page(s):2308 - 2317 Engineering by Thayer, R. H.; Dorfman, M.; AbstractPlus | Full Text: PDF(449 KB) IEEE CNF Paperback, Edition: 2 Rights and Permissions View All 63 Result(s) 4. Capability based admission control for broadband CDMA networks Dongxu Shen; Chuanyi Ji; Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th » Key Volume 1, 2001 Page(s):202 - 206 vol.1 IEEE JNL IEEE Journal or Digital Object Identifier 10.1109/VTC.2001.956586 Magazine AbstractPlus | Full Text: PDF(456 KB) IEEE CNF **IEE JNL** IEE Journal or Magazine Rights and Permissions IEEE CNF IEEE Conference Proceeding 5. Data mining for customer load profile analysis IEE Conference **IEE CNF** Kitayama, M.; Matsubara, R.; Izui, Y.; Proceeding Transmission and Distribution Conference and Exhibition 2002: Asia Pacific, IE

Volume 1, 6-10 Oct. 2002 Page(s):654 - 655 vol.1

Digital Object Identifier 10.1109/TDC.2002.1178509



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((servers or providers or third party and user or customer or client profile)<in>metadat..." ☑ e-mail Your search matched 25114 of 1387402 documents. A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order. **Modify Search** » Search Options ((servers or providers or third partyand user or customer or client profile)<in>metada: Search View Session History Check to search only within this results set **New Search** Display Format: Citation C Citation & Abstract » Other Resources (Available For Purchase) view selected items Select All Deselect All **Top Book Results** 1. Scalable Web server architectures Open Process Frameworks Mourad, A.; Huiqun Liu; by Marca, D. A.; Paperback, Edition: 1 Computers and Communications, 1997. Proceedings., Second IEEE Symposiu 1-3 July 1997 Page(s):12 - 16 Parallel Database Techniques Digital Object Identifier 10.1109/ISCC.1997.615963 by Abdelguerfi, M.; Wong, K.-F.; Hardcover, Edition: 1 AbstractPlus | Full Text: PDF(484 KB) | IEEE CNF Rights and Permissions The MIS and LAN Manager's **Guide to Advanced** <u>Telecommunications</u> 2. An analysis of online customer complaints: implications for Web complaints П by Wrobel, L. A.; Yooncheong Cho; II Im; Hiltz, R.; Fjermestad, J.; Paperback, Edition: 1 System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii Intern Conference on The Software Project Manager's 7-10 Jan 2002 Page(s):2308 - 2317 Handbook by Phillips, D.; AbstractPlus | Full Text: PDF(449 KB) IEEE CNF Paperback, Edition: 2 Rights and Permissions Feedback Control of Computing **Systems** 3. A multiserver queue with narrow- and wide-band customers and wide-ban by Hellerstein, J. L.; Diao, Y.; access Parekh, S.; Tilbury, D. M.; De Serres, Y.; Mason, L.G.; Hardcover, Edition: 1 Communications, IEEE Transactions on Volume 36, Issue 6, June 1988 Page(s):675 - 684 View All 24 Result(s) Digital Object Identifier 10.1109/26.2787 AbstractPlus | Full Text: PDF(780 KB) IEEE JNL » Key Rights and Permissions IEEE JNL IEEE Journal or Magazine 4. Data mining for customer load profile analysis Kitayama, M.; Matsubara, R.; Izui, Y.; **IEE JNL** IEE Journal or Magazine Transmission and Distribution Conference and Exhibition 2002: Asia Pacific. IE **IEEE CNF IEEE Conference** Volume 1, 6-10 Oct. 2002 Page(s):654 - 655 vol.1 Proceeding Digital Object Identifier 10.1109/TDC.2002.1178509 **IEE Conference IEE CNF** AbstractPlus | Full Text: PDF(277 KB) IEEE CNF Proceeding Rights and Permissions IEEE STD IEEE Standard 5. Buffer management and dimensioning for a pull-based parallel video sen Lee, J.Y.B.: Circuits and Systems for Video Technology, IEEE Transactions on

Volume 11, Issue 4, April 2001 Page(s):485 - 496 Digital Object Identifier 10.1109/76.915355



□□AbstractPlus

View Search Results | Next Article ▶

Home | Login | Logout | Access Information | Aleri

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

⊠е-л

Access this document



Full Text: PDF (184 KB)

Download this citation

Choose Citation & Abstract

Download ASCII Text



» Learn More

Rights and Permissions

» Learn More

Distributing users with profile and buffer constraint in ent systems

<u>Ping-Ho Ting Kuan-Ching Li Ping-Yu Hsu Chun-Chung Wei Hsiang-Kai Liao</u> Dept. of Hospitality Manage., Tunghai Univ., Taiwan

This paper appears in: <u>Advanced Information Networking and Applications</u>, <u>2006</u>. <u>AlN International Conference on</u>

Publication Date: 18-20 April 2006

Volume: 2 On page(s): 5 pp.

▼

Number of Pages: CD-ROM

ISSN: 1550-445X

INSPEC Accession Number:8995779

Digital Object Identifier: 10.1109/AINA.2006.152

Posted online: 2006-05-15 11:33:13.0

Abstract

As enterprises worldwide race to embrace real-time management to improve productivity, and flexibility, large amount of resources have been invested in enterprise systems (ESs). feature of these modern systems, they utilize a n-tier client-server architecture that includapplication servers to serve users and host applications. The load and user distributions issue in performance tuning of these enterprise systems, as any other multi-server enviro proposes an algorithm to distribute users by evoking similar transactions to same servers buffer sizes. The number of transactions can be hosted in each server is constrained by the multiplied by a factor specified by system administrators. Based on user profiles, the algorithm suggestions of user distributions, the number of servers needed, and similar user reques addition, it discusses how to apply the knowledge of existing user patterns to distribute ne have enough entries in the profile and have no distribution suggestion during run-time.

Index Terms Inspec

Controlled Indexing

<u>business communication</u> <u>client-server systems</u> <u>customer services</u> <u>open systetime systems</u> <u>resource allocation</u>

Non-controlled Indexing

buffer constraint customer service enterprise system flexibility n-tier client-superchitecture productivity real-time management system administrator

Author Keywords

Buffer Constraint Clustering Enterprise Systems Load Balancing User Distribution

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ View Search Results | Next Article →



Welcome United States Patent and Trademark Office

□□AbstractPlus

BROWSE

SEARCH

IEEE XPLORE GUIDE

◆ <u>View Search Results</u> | ◆ <u>Previous Article</u> | <u>Next Article</u> ▶

•

खe-п

Access this document

团

Full Text: PDF (340 KB)

Download this citation

Choose Citation & Abstract

Download ASCII Text

» Learn More

Rights and Permissions

» Learn More

Customer relationship management in e-commerce: the case solution

Ohaegbu, K. Devgan, S.S.

Dept. of Electr. & Comput. Eng., Tennessee State Univ., Nashville, TN, USA;

This paper appears in: Southeastcon 2000. Proceedings of the IEEE

Publication Date: 7-9 April 2000

On page(s): 391 - 394 Number of Pages: xviii+542

Meeting Date: 04/07/2000 - 04/09/2000

Location: Nasville, TN

INSPEC Accession Number:6656823

Digital Object Identifier: 10.1109/SECON.2000.845599

Posted online: 2002-08-06 23:17:06.0

Abstract

E-commerce is not just the transaction, it is also the **customer** service. The advent of inte has without doubt made buying and selling on the Web successful. However, it continues personal contact with the **customer**, which is essential in building and sustaining **customer** the Internet. "Real-time" text communication currently used by some companies lacks the combination that is needed to fill this communication gap. According to Forrester Research users actually read the web page word by word. 67% of on-line consumers follow it to the not complete a transaction. In response to this problem, this research entails developing a that will enable a Web **customer** to click and talk to a sales representative in real-time and and the **profile** of the sales representative. In this research, a web **user** initiates a WebCli representative) request, that passes through the Internet and the Web **server** notifies our incoming call. The **server** in turn notifies the sales representative's computer by generatin showing the particular page the **customer** was browsing at the time the call was initiated. representative can now speak with the web **user** or route the call to another sales represe research was limited to voice only

Index Terms

Inspec

Controlled Indexing

Internet telephony electronic commerce information resources

Non-controlled Indexing

WebClick call center customer relationship management interactive e-commercepresentative sales representative software interface

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ <u>View Search Results</u> | ◆ <u>Previous Article</u> | <u>Next Article</u> ▶



Welcome United States Patent and Trademark Office

Sear	ch R	esu	ts

Search Res	sults			BROWSE	SEARCH	IEEE XPLORE G	UIDE
Your searc	"((servers and user and h matched 9 of 1387402 do n of 100 results are displaye	cuments.	-	•	in Descending or	der.	⊠ e-maí
» Search O	ptions						
View Sessi	on History		ify Searc				
New Searc	<u>h</u>	<u> </u>		ser and customer and p	•	a)	Search
				earch only within this			
» Key		Disp	lay Form	at: 🖲 Citation (C Citation & Abs	stract	
IEEE JNL	IEEE Journal or Magazine	_ vie	w selecte	d items Select A	All Deselect All		
IEE JNL	IEE Journal or Magazine	₽ VIII	W Scieuce	<u> </u>	MI Deselect All		
IEEE CNF	IEEE Conference Proceeding					r constraint in enterp	
IEE CNF	IEE Conference Proceeding		Adva	-		; Chun-Chung Wei; Hs lications, 2006. AINA 2	-
IEEE STD	IEEE Standard		Volur	ne 2, 18-20 April 200 al Object Identifier 10		.152	
				actPlus Full Text: Ps and Permissions	<u>'DF(</u> 184 KB) IEI	EE CNF	
			Ohae South 7-9 A	omer relationship negbu, K.; Devgan, S.s neastcon 2000. Proce pril 2000 Page(s):39 al Object Identifier 10	S.; eedings of the IEE 1 - 394		center solut
				actPlus Full Text: Ps and Permissions	<u>'DF(</u> 340 KB) IEE	EE CNF	
		.	Augu <u>Interr</u> Volur	omer service [in e-b ste, D.M.; net Computing, IEEE ne 5, Issue 5, Sept. al Object Identifier 10	-Oct. 2001 Page(
				actPlus Full Text: Ps and Permissions	<u>DF(</u> 136 KB) IEE	EE JNL	
			Yew, <u>Servi</u> 1 Dec	A.; Pavlou, G.;	tual Customer En - 108	h mobile software ago evironments, 2000 IEEE 00.934168	
				actPlus Full Text: Ps and Permissions	<u>DF(</u> 548 KB) IEE	EE CNF	
			Nicho <u>Intelli</u>	customer control in ols, J.M.; Yakoob, N.A gent Network Works!	A.; Baumgartner,	T.J.;	

Digital Object Identifier 10.1109/INW.1996.539594

 ∇



Home | Login | Logout | Access Information | Aleri

Welcome United States Patent and Trademark Office

□ AbstractPlus

BROWSE

SEARCH

IEEE XPLORE GUIDE

◆ <u>View Search Results</u> | ◆ <u>Previous Article</u> | <u>Next Article</u> ▶

⊠е-п

Access this document

团

Full Text: PDF (128 KB)

Download this citation

Choose Citation & Abstract

Download ASCII Text

.» Learn More

Rights and Permissions

» Learn More

Personalized search based on user search histories

Speretta, M. Gauch, S.

Electr. Eng. & Comput. Sci., Kansas Univ., Lawrence, KS, USA

This paper appears in: Web Intelligence, 2005. Proceedings. The 2005 IEEE/WIC/ACM

Conference on

Publication Date: 19-22 Sept. 2005

On page(s): 622 - 628 Number of Pages: xxxii+819

INSPEC Accession Number:8747769

Digital Object Identifier: 10.1109/WI.2005.114 Posted online: 2005-10-17 08:49:32.0

Abstract

User profiles, descriptions of user interests, can be used by search engines to provide presults. Many approaches to creating user profiles collect user information through proxy browsing histories) or desktop bots (to capture activities on a personal computer). Both the require participation of the user to install the proxy server or the bot. In this study, we expless-invasive means of gathering user information for personalized search. In particular, we based on activity at the search site itself and study the use of these profiles to provide peresults. By implementing a wrapper around the Google search engine, we were able to coabout individual user search activities. In particular, we collected the queries for which at I result was examined, and the snippets (titles and summaries) for each examined result. U created by classifying the collected information (queries or snippets) into concepts in a refhierarchy. These profiles were then used to re-rank the search results and the rank-order examined results before and after re-ranking were compared. Our study found that user p queries were as effective as those based on snippets. We also found that our personalize in a 34% improvement in the rankorder of the user-selected results.

Index Terms Inspec

Controlled Indexing

Internet query formulation search engines

Non-controlled Indexing

Google Web wrapper browsing history desktop bot personalized search prove reference concept hierarchy search engine user profile user search history

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ View Search Results | ◆ Previous Article | Next Article ▶

Help Contact Us Privacy

indexed by ज्ञी Inspec* © Copyright 2006 IEE



Welcome United States Patent and Trademark Office

□□®AbstractPlus

BROWSE

SEARCH

IEEE XPLORE GUIDE

◆ <u>View Search Results</u> | ◆ <u>Previous Article</u> | <u>Next Article</u> ▶

⊠е-п

Access this document

Full Text: PDF (486 KB)

Download this citation

Choose Citation & Abstract

Download ASCII Text

» Learn More

Rights and Permissions

» Learn More

Personalized content delivery to mobile devices

Dongsong Zhang Shijagurumayum, S. Maryland Univ., Baltimore, MD, USA

This paper appears in: Systems, Man and Cybernetics, 2003. IEEE International Confe

Publication Date: 5-8 Oct. 2003

Volume: 3

On page(s): 2533 - 2538 vol.3

Number of Pages: 5 vol.(lxiv+lii+5045)

ISSN: 1062-922X

INSPEC Accession Number: 7953465 Posted online: 2003-11-10 09:44:50.0

Abstract

Mobile computing has become an interesting field of research due to the advancement of With the rapidly increasing bandwidth of wireless networks and demand of acquiring inforr anywhere, delivering content to mobile devices in an effective, efficient, and personalized recognized as one of the important capabilities for enabling information-on-demand. In this of 'user profile' is used for delivering customized content to mobile users. The user profil application server, which includes users' information interests, properties of mobile device preferences. When a wireless application receives an information request from a mobile u relevant content from either company databases or other sources including the Internet be specified by the user, customizes it based on users' preferences and network condition, a user. In other cases, a wireless application may automatically multicast certain information who share the common interest via the 'push' technology. This study aims to explore effec delivery of personalized content to mobile devices under the restrictions imposed by wirele mobile devices.

Index Terms

Inspec

Controlled Indexing

Internet mobile computing mobile radio multicast communication multimedia radio networks

Non-controlled Indexing

Internet application server databases mobile computing mobile devices per content delivery user profile wireless application wireless networks wireless

Author Keywords

Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.

◆ <u>View Search Results</u> | ◆ <u>Previous Article</u> | <u>Next Article</u> ▶

indexed by

Help Contact Us Privacy
© Copyright 2006 IEE



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((server <near> user <near> profile <near> personalize)<in>metadata)" ⊠e-mail Your search matched 13 of 1387402 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options **Modify Search** View Session History ((server < near> user < near> profile < near> personalize) < in> metadata) Search **New Search** Check to search only within this results set Display Format: » Key IEEE Journal or IEEE JNL Magazine view selected items Select All Deselect All IEE Journal or Magazine **IEE JNL** IEEE CNF IEEE Conference 1. Adaptive exploiting user profile and interpretation policy for searching ar П Proceeding Web on KODAMA system IEE Conference **IEE CNF** Helmy, T.; Mine, T.; Amamiya, M.; Proceeding Database and Expert Systems Applications, 2000. Proceedings. 11th International Control of the Internat IEEE STD IEEE Standard 4-8 Sept. 2000 Page(s):120 - 124 Digital Object Identifier 10.1109/DEXA.2000.875014 AbstractPlus | Full Text: PDF(496 KB) IEEE CNF Rights and Permissions 2. misearch П Speretta, M.; Gauch, S.; Web Intelligence, 2005. Proceedings. The 2005 IEEE/WIC/ACM International (19-22 Sept. 2005 Page(s):807 - 808 Digital Object Identifier 10.1109/WI.2005.101 AbstractPlus | Full Text: PDF(320 KB) IEEE CNF Rights and Permissions 3. Personalized search based on user search histories Speretta, M.; Gauch, S.; Web Intelligence, 2005. Proceedings. The 2005 IEEE/WIC/ACM International (19-22 Sept. 2005 Page(s):622 - 628 Digital Object Identifier 10.1109/WI.2005.114 AbstractPlus | Full Text: PDF(128 KB) | IEEE CNF Rights and Permissions 4. Personalized content delivery to mobile devices Dongsong Zhang; Shijagurumayum, S.; Systems, Man and Cybernetics, 2003. IEEE International Conference on Volume 3, 5-8 Oct. 2003 Page(s):2533 - 2538 vol.3 AbstractPlus | Full Text: PDF(486 KB) IEEE CNF Rights and Permissions 5. MPEG-7 MDS-Based Application Specific Metadata Model for Personalize **Access in a DTV Broadcast Environment**

6-8 July 2005 Page(s):856 - 859

Digital Object Identifier 10.1109/ICME.2005.1521558

Tsekeridou, S.;

Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on

Ref	Llika	Soarch Quant	DBs	Default	Plurals	Time Stamp
#	Hits	Search Query	DBS	Operator	Piurais	Time Stamp
L1	126	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/16 08:37
L2	125	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 08:51
L3	1	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) same (customiz\$2 or modify\$4) same (output or response)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 08:40
L4	12	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) and (customiz\$2 or modify\$4) same (output or response)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 08:47
L5	21	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) and (customi\$6 or modify\$5) with (respons\$4 or output or result\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 09:09
L6	19	shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party)) and personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 09:53
L7	1	"20020194297".did.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 09:22
L8	1	personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2) same shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 09:54
L9	0	personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2) with (user adj information) same shar\$4 with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/16 09:54

L10	3	personaliz\$4 with (content\$2 or result\$2 or output\$2 or respons\$2) with (user adj information) and shar\$4	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/08/16 09:54
		with ((user or client or customer or consumer) adj2 profile) with (server\$3 or provider\$3 or (third adj party))	IBM_TDB			



Welcome United States Patent and Trademark Office

☐ Search Results **BROWSE IEEE XPLORE GUIDE SEARCH**

Results for "((servers sharing user profile)<in>metadata)"

☑ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History Modify Search

New Search ((servers sharing user profile)<in>metadata)

Search

Display Format: Citation C Citation & Abstract

Check to search only within this results set

IEEE Journal or **IEEE JNL**

Magazine

IEE JNL IEE Journal or Magazine

IEEE Conference

IEEE CNF Proceeding

> IEE Conference Proceeding

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

IEEE STD IEEE Standard

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by inspec'

IEE CNF

» Key



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((servers access user profile)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((servers access user profile)<in>metadata)

Check to search only within this results set

Search

☑ e-mail

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEE CNF

IEEE Conference

Proceeding

IEE Conference

Proceeding

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

© Citation C Citation & Abstract

IEEE STD IEEE Standard

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by Inspec'



Search: • The ACM Digital Library • The Guide

SEARCH

Feedback Report a problem Satisfaction survey

Supporting global user profiles through trusted authorities

Full text Pdf (497 KB)

Source ACM SIGMOD Record archive

Volume 31, Issue 1 (March 2002) table of contents

SPECIAL ISSUE: Data management issues in electronic commerce table of contents

Pages: 11 - 17

Year of Publication: 2002

ISSN:0163-5808

Author <u>Ibrahim Cingil</u> Turkiye Is Bankasi, Head Office, Istanbul, Turkey

Publisher ACM Press New York, NY, USA

Additional Information: abstract references citings collaborative colleagues peer to peer

Tools and Actions: Find similar Articles Review this Article

Save this Article to a Binder Display Formats: BibTex EndNote ACM Ref

DOI Bookmark: Use this link to bookmark this Article: http://doi.acm.org/10.1145/507338.507342

What is a DOI?

↑ ABSTRACT

Personalization generally refers to making a Web site more responsive to the unique and individual needs of each user. We argue that for personalization to work effectively, detailed and interoperable user profiles should be globally available for authorized sites, and these profiles should dynamically reflect the changes in user interests. Creating user profiles from user click-stream data seems to be an effective way of generating detailed and dynamic user profiles. However a user profile generated in this way is available only on the computer where the user accesses his browser, and is inaccessable when the same user works on a different computer. On the other hand, the integration of Internet with telecommunication networks have made it possible for the users to connect to Web with a variety of mobile devices as well as desk tops. This requires that user profiles should be available to any desktop or mobile device on the Internet that users choose to work with. In this paper, we address these problems through the concept of "Trusted Authority". A user agent at the client side that captures the user click stream, dynamically generates a navigational history 'log' file in Extensible Markup Language (XML). This log files is then used to produce the 'user profiles' in Resource Description Framework (RDF). User's right to privacy is provided through the Platform for Privacy Preferences (P3P) standard. User profiles are uploaded to the trusted authority and served next time the user connects to the Web. The trusted authority concept, serving as a namespace qualifier, provides globally unique userid/password identification for users. Furthermore user profiles dynamically reflect the changes in their interests since the data generated while they are surfing the Web contribute to their profile. Also since the user profiles are defined in RDF, they are interoperable and available to any type of authorized device on the Internet.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has

opted to expose the complete List rather than only correct and linked references.

- 1 Alex G. Büchner, Maurice D. Mulvenna, Discovering Internet marketing intelligence through online analytical web usage mining, ACM SIGMOD Record, v.27 n.4, p.54-61, Dec. 1998
- 2 <u>Ibrahim Cingil</u>, <u>Asuman Dogac</u>, <u>Ayca Azgin</u>, <u>A broader approach to personalization</u>, <u>Communications of the ACM</u>, v.43 n.8, p.136-141, <u>Aug. 2000</u>
- 3 A. Dogac, Guest Editor. ACM Sigmod Record Special Section on Electronic Commerce, 27(4), Dec 1998.
- 4 A. Deutsch, M. Fernandez, D. Florescu, A. Levy, and D. Suciu, "XML-QL: A query language for XML", W3C Document, http://www.w3.org/TR/NOTE-xml-ql.
- 5 P3P Platform for Privacy Preferences Syntax Specification, http://www.w3.org/TR/WDP3P/syntax.html
- 6 Resource Description Framework (RDF) Model and Syntax Specification, W3C Proposed Recommendation. http://www.w3.org/TR/WD-rdf-syntax.
- 7 Resource Description Framework (RDF) Schema Specification, W3C Proposed Recommendation. http://www.w3.org/TR/WD-rdfschema.
- 8 Web Browser Intelligence, http://www.almaden.ibm.com/cs/wbi/papers/chi97/wbipaper.html
- 9 Extensible Markup Language (XML) 1.0. W3C Recommendation, http://www.w3.org/TR/REC-xml-19980210.

↑ CITINGS 2

<u>Peter Bodorik</u>, <u>Dawn Jutla</u>, <u>Architecture for user-controlled e-privacy</u>, <u>Proceedings of the 2003 ACM symposium on Applied computing</u>, <u>March 09-12</u>, <u>2003</u>, <u>Melbourne</u>, <u>Florida</u>

↑ Collaborative Colleagues:

<u>Ibrahim Cingil</u>: <u>Mehmet Altinel</u> <u>Gokce Laleci</u>

Sena Arpinar Ender Sevinc

Ayca Azgin Nesime Tatbul

Ahmet Cosar

Nazife Dimililer

Asuman Dogac

<u>Ilker Durusoy</u>

Esin Gokkoca

Yildiray Kabak

Pinar Koksal

↑ Peer to Peer - Readers of this Article have also read:

<u>Data structures for quadtree approximation and compression</u> Communications of the ACM 28, 9

Hanan Samet

A hierarchical single-key-lock access control using the Chinese remainder theorem Proceedings
of the 1992 ACM/SIGAPP Symposium on Applied computing
Kim S. Lee , Huizhu Lu , D. D. Fisher

- The GemStone object database management system Communications of the ACM 34, 10 Paul Butterworth , Allen Otis , Jacob Stein
- Putting innovation to work: adoption strategies for multimedia communication systems
 Communications of the ACM 34, 12
 Ellen Francik , Susan Ehrlich Rudman , Donna Cooper , Stephen Levine
- An intelligent component database for behavioral synthesis Proceedings of the 27th ACM/IEEE conference on Design automation Gwo-Dong Chen, Daniel D. Gajski

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player





Search: • The ACM Digital Library • The Guide

SEARCH

Feedback Report a problem Satisfaction survey

SHOCK: communicating with computational messages and automatic private profiles

Full text

Pdf (694 KB)

Source

International World Wide Web Conference archive

Proceedings of the 12th international conference on World Wide Web table of contents

Budapest, Hungary

SESSION: Applications and architecture table of contents

Pages: 291 - 300 Year of Publication: 2003 ISBN:1-58113-680-3

Authors

Rajan M. Lukose Information Dynamics Lab, HP Laboratories, Palo Alto, CA

Eytan Adar Information Dynamics Lab, HP Laboratories, Palo Alto, CA

Joshua R. Tyler Information Dynamics Lab, HP Laboratories, Palo Alto, CA

Caesar Sengupta Encentuate Pte. Ltd., Singapore, Republic of Singapore

Sponsor A

ACM: Association for Computing Machinery

Publisher A

ACM Press New York, NY, USA

Additional Information: abstract references index terms collaborative colleagues peer to peer

Tools and Actions:

Find similar Articles Review this Article

Save this Article to a Binder

Display Formats: BibTex EndNote ACM Ref

DOI Bookmark:

Use this link to bookmark this Article: http://doi.acm.org/10.1145/775152.775194

What is a DOI?

↑ ABSTRACT

A computationally enhanced message contains some embedded programmatic components that are interpreted and executed automatically upon receipt. Unlike ordinary text email or instant messages, they make possible a number of useful applications. In this paper, we describe a general and flexible messaging system called SHOCK that extends the functionality of prior computational email systems by allowing XML-encoded SHOCK messages to interact with an automatically created profile of a user. These profiles consist of information about the most common tasks users perform, such as their Web browsing behavior, their conventional email usage, etc. Since users are sensitive about such data, the system is designed with privacy as a central design goal, and employs a distributed peer-to-peer architecture to achieve it. The system is largely implemented with commodity Web technologies and provides both a Web interface as well as one that is tightly integrated with users ordinary email clients. With SHOCK, users can send highly targeted messages without violating others privacy, and engage in structured conversation appropriate to the context without disrupting their existing work practices. We describe our implementation in detail, the most useful novel applications of the system, and our experiences with the system in a pilot field test.

↑ REFERENCES

Note: OCR errors may be found in this Reference List extracted from the full text article. ACM has opted to expose the complete List rather than only correct and linked references.

- 1 M. S. Ackerman, T. W. Malone, Answer Garden: a tool for growing organizational memory, ACM SIGOIS Bulletin, v.11 n.2-3, p.31-39, Apr. 1990
- 2 Eytan Adar, Rajan Lukose, Caesar Sengupta, Josh Tyler, Nathaniel Good, Shock: Aggregating Information While Preserving Privacy, Information Systems Frontiers, v.5 n.1, p.15-28, January 2003
- 3 Rakesh Agrawal, Ramakrishnan Srikant, Privacy-preserving data mining, Proceedings of the 2000 ACM SIGMOD international conference on Management of data, p.439-450, May 15-18, 2000, Dallas, Texas, United States
- 4 Allen, T. Managing the Flow of Technology. MIT Press: Cambridge, 1977.
- 5 <u>Victoria Bellotti , Nicolas Ducheneaut , Mark Howard , Christine Neuwirth , Ian Smith , Trevor Smith, FLANNEL: adding computation to electronic mail during transmission, Proceedings of the 15th annual ACM symposium on User interface software and technology, October 27-30, 2002, Paris, France</u>
- 6 Nathaniel S. Borenstein, Chris A. Thyberg, Cooperative work in the Andrew message system, Proceedings of the 1988 ACM conference on Computer-supported cooperative work, p.306-323, September 26-28, 1988, Portland, Oregon, United States
- 7 Nathanial S. Borenstein, Computational mail as network infrastructure for computer-supported cooperative work, Proceedings of the 1992 ACM conference on Computer-supported cooperative work, p.67-74, November 01-04, 1992, Toronto, Ontario, Canada
- 8 <u>John Canny, Collaborative Filtering with Privacy, Proceedings of the 2002 IEEE Symposium on Security and Privacy, p.45, May 12-15, 2002</u>
- 9 <u>Nicolas Ducheneaut</u>, <u>Victoria Bellotti</u>, <u>E-mail as habitat: an exploration of embedded personal information management</u>, interactions, v.8 n.5, p.30-38, <u>Sept./Oct. 2001</u>
- 10 Leonard N. Foner, Yenta: a multi-agent, referral-based matchmaking system, Proceedings of the first international conference on Autonomous agents, p.301-307, February 05-08, 1997, Marina del Rey, California, United States
- 11 Yaron Goldberg, Marilyn Safran, Ehud Shapiro, Active mail—a framework for implementing groupware, Proceedings of the 1992 ACM conference on Computer-supported cooperative work, p.75-83, November 01-04, 1992, Toronto, Ontario, Canada
- 12 Henry Kautz, Bart Selman, Mehul Shah, Referral Web: combining social networks and collaborative filtering, Communications of the ACM, v.40 n.3, p.63-65, March 1997
- Joseph A. Konstan, Bradley N. Miller, David Maltz, Jonathan L. Herlocker, Lee R. Gordon, John Riedl, GroupLens: applying collaborative filtering to Usenet news, Communications of the ACM, v.40 n.3, p.77-87, March 1997
- 14 <u>Kum-Yew Lai</u>, Thomas W. Malone, Keh-Chiang Yu, Object lens: a "spreadsheet" for cooperative work, ACM Transactions on Information Systems (TOIS), v.6 n.4, p.332-353, Oct. 1988
- 15 <u>Tessa Lau , Oren Etzioni , Daniel S. Weld, Privacy interfaces for information management, Communications of the ACM, v.42 n.10, p.88-94, Oct. 1999</u>
- 16 T. W. Malone, K. R. Grant, F. A. Turbak, The information lens: an intelligent system for information sharing in organizations, Proceedings of the SIGCHI conference on Human factors in computing systems, p.1-8, April 13-17, 1986, Boston, Massachusetts, United States

- 17 <u>David W. McDonald</u>, Mark S. Ackerman, Expertise recommender: a flexible recommendation system and architecture, Proceedings of the 2000 ACM conference on Computer supported cooperative work, p.231-240, December 2000, Philadelphia, Pennsylvania, United States
- 18 Allen E. Milewski, Thomas M. Smith, An experimental system for transactional messaging, Proceedings of the international ACM SIGGROUP conference on Supporting group work: the integration challenge, p.325-330, November 16-19, 1997, Phoenix, Arizona, United States
- 19 <u>Masahiro Morita</u>, <u>Yoichi Shinoda</u>, <u>Information filtering based on user behavior analysis and best match text retrieval</u>, <u>Proceedings of the 17th annual international ACM SIGIR conference on Research and development in information retrieval</u>, p.272-281, <u>July 03-06</u>, 1994, <u>Dublin</u>, <u>Ireland</u>
- 20 <u>Michael K. Reiter</u>, Aviel D. Rubin, Crowds: anonymity for Web transactions, ACM Transactions on Information and System Security (TISSEC), v.1 n.1, p.66-92, Nov. 1998
- 21 <u>Michael F. Schwartz</u>, <u>David C. M. Wood</u>, <u>Discovering shared interests using graph analysis</u>, <u>Communications of the ACM</u>, v.36 n.8, p.78-89, <u>Aug. 1993</u>
- 22 <u>Upendra Shardanand</u>, <u>Pattie Maes</u>, <u>Social information filtering</u>: <u>algorithms for automating "word of mouth"</u>, <u>Proceedings of the SIGCHI conference on Human factors in computing systems</u>, <u>p.210-217</u>, <u>May 07-11</u>, <u>1995</u>, <u>Denver</u>, <u>Colorado</u>, <u>United States</u>
- 23 <u>Gerald Salton, Automatic text processing, Addison-Wesley Longman Publishing Co., Inc., Boston, MA, 1988</u>
- 24 Zaplets. http://www.zaplet.com/.

↑ INDEX TERMS

Primary Classification:

D. Software

• D.2 SOFTWARE ENGINEERING

C D.2.11 Software Architectures

Subjects: Information hiding

Additional Classification:

D. Software

C. D.2 SOFTWARE ENGINEERING

Software Architectures

Subjects: Patterns (e.g., client/server, pipeline, blackboard); Domain-specific architectures

General Terms:

Design, Economics, Human Factors

Keywords:

collaborative systems, networking and distributed web applications, privacy and preferences

↑ Collaborative Colleagues:

Eytan Adar:

Lada A. Adamic Thomas Breuel Todd Cass Rob Cooley

Andy Edmonds

Rajan M. Lukose James Pitkow Hinrich Schütze Caesar Sengupta Lynn Andrea Stein

Leslie R. Fine Nathaniel Good

Don Turnbull Josh Tyler Bernardo A. Huberman Joshua R. Tyler Dennis Wilkinson

David Kargar Rajan Lukose

Rajan M. Lukose: Eytan Adar

Bernardo A. Huberman Caesar Sengupta Joshua R. Tyler

Caesar Sengupta: Eytan Adar

Armando Fox Nathaniel Good **Brad Johanson** Rajan Lukose Rajan M. Lukose Shankar Ponnekanti

Josh Tyler Joshua R. Tyler

Joshua R. Tyler:

Eytan Adar

Bernardo A. Huberman

Rajan M. Lukose Caesar Sengupta Dennis M. Wilkinson

↑ Peer to Peer - Readers of this Article have also read:

 Data structures for quadtree approximation and compression
 Communications of the ACM 28, 9 Hanan Samet

 A hierarchical single-key-lock access control using the Chinese remainder theorem Proceedings of the 1992 ACM/SIGAPP Symposium on Applied computing Kim S. Lee, Huizhu Lu, D. D. Fisher

- The GemStone object database management system Communications of the ACM 34, 10 Paul Butterworth, Allen Otis, Jacob Stein
- Putting innovation to work: adoption strategies for multimedia communication systems Communications of the ACM 34, 12 Ellen Francik, Susan Ehrlich Rudman, Donna Cooper, Stephen Levine
- An intelligent component database for behavioral synthesis Proceedings of the 27th ACM/IEEE conference on Design automation Gwo-Dong Chen, Daniel D. Gajski

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Search:

The ACM Digital Library O The Guide

share user profile with servers

SEÄRCH



Feedback Report a problem Satisfaction survey

Terms used share user profile with servers

Found **75,555** of **184,245**

Sort results

relevance by Display

Save results to a Binder 3 Search Tips

Try an Advanced Search Try this search in The ACM Guide

next

expanded form results

Open results in a new window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale

Best 200 shown

Data management issues in electronic commerce: Supporting global user profiles



through trusted authorities Ibrahim Cingil

March 2002 ACM SIGMOD Record, Volume 31 Issue 1

Publisher: ACM Press

Full text available: Topdf(497.02 KB) Additional Information: full citation, abstract, references, citings

Personalization generally refers to making a Web site more responsive to the unique and individual needs of each user. We argue that for personalization to work effectively, detailed and interoperable user profiles should be globally available for authorized sites, and these profiles should dynamically reflect the changes in user interests. Creating user profiles from user click-stream data seems to be an effective way of generating detailed and dynamic user profiles. However a user profile gener ...

FieldWise: a mobile knowledge management architecture



Henrik Fagrell, Kerstin Forsberg, Johan Sanneblad

December 2000 Proceedings of the 2000 ACM conference on Computer supported cooperative work

Publisher: ACM Press


Full text available: pdf(470.03 KB)

Additional Information: full citation, abstract, references, citings, index terms

The paper presents results of a research project that has aimed at developing a knowledge management architecture for mobile work domains. The architecture developed, called FieldWise, was based on fieldwork in two organisations and feedback from users of prototype systems. This paper describes the empirically grounded requirements of FieldWise, how these have been realised in the architecture, and how the architecture has been implemented in the news journalism domain. FieldWise adds to th ...

Keywords: hand-held devices, knowledge management, mobile CSCW, organisational memory

3 Supporting activities: Proactive support for the organization of shared workspaces



November 2005 Proceedings of the 2005 international ACM SIGGROUP conference on



Search: © The ACM Digital Library

share user profile with application programs

SEARCH



Feedback Report a problem Satisfaction survey

Terms used share user profile with application programs

Found 123,684 of 184,245

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form Open results in a new

window

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale

Results 1 - 20 of 200 Best 200 shown

SPLASH: Stanford parallel applications for shared-memory

Jaswinder Pal Singh, Wolf-Dietrich Weber, Anoop Gupta

March 1992 ACM SIGARCH Computer Architecture News, Volume 20 Issue 1

Publisher: ACM Press

Additional Information: full citation, abstract, citings, index terms Full text available: pdf(3.04 MB)

We present the Stanford Parallel Applications for Shared-Memory (SPLASH), a set of parallel applications for use in the design and evaluation of shared-memory multiprocessing systems. Our goal is to provide a suite of realistic applications that will serve as a well-documented and consistent basis for evaluation studies. We describe the applications currently in the suite in detail, discuss some of their important characteristics, and explore their behavior by running them on a real multiprocess ...

2 The integration of application and system based metrics in a parallel program

performance tool

Jeffrey K. Hollingsworth, R. Bruce Irvin, Barton P. Miller

April 1991 ACM SIGPLAN Notices, Proceedings of the third ACM SIGPLAN symposium on Principles and practice of parallel programming PPOPP '91, Volume 26

Issue 7

Publisher: ACM Press

Full text available: pdf(1.21 MB) Additional Information: full citation, references, citings, index terms

Profiling Java applications using code hotswapping and dynamic call graph revelation



Mikhail Dmitriev

January 2004 ACM SIGSOFT Software Engineering Notes, Proceedings of the 4th international workshop on Software and performance WOSP '04, Volume

Publisher: ACM Press

Full text available: pdf(1.32 MB) Additional Information: full citation, abstract, references

Instrumentation-based profiling has many advantages and one serious disadvantage: usually high performance overhead. This overhead can be substantially reduced if only a small part of the target application (for example, one that has previously been identified as a performance bottleneck) is instrumented, while the rest of the application code continues to run at full speed. The value of such a profiling technology would increase further if the code could be instrumented and de-instrumented as m ...



The ACM Digital Library
O The Guide

share cutomer profile with application programs

SEARCH



Feedback Report a problem Satisfaction survey

Terms used share cutomer profile with application programs

Found 101,496 of 184,245

Sort results

results

relevance by Display

expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10

next Relevance scale

Best 200 shown

1 Shared-memory performance profiling

Zhichen Xu, James R. Larus, Barton P. Miller

June 1997 ACM SIGPLAN Notices, Proceedings of the sixth ACM SIGPLAN symposium on Principles and practice of parallel programming PPOPP '97, Volume 32


Issue 7 Publisher: ACM Press

Full text available: pdf(1.19 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper describes a new approach to finding performance bottlenecks in sharedmemory parallel programs and its embodiment in the Paradyn Parallel Performance Tools running with the Blizzard fine-grain distributed shared memory system. This approach exploits the underlying system's cache coherence protocol to detect data sharing patterns that indicate potential performance bottlenecks and presents performance measurements in a data-centric manner. As a demonstration, Parodyn helped us improve ...

Session 6: threads: TAPE: a transactional application profiling environment



June 2005 Proceedings of the 19th annual international conference on Supercomputing ICS '05

Publisher: ACM Press

Full text available: pdf(714.71 KB) Additional Information: full citation, abstract, references

Transactional Coherence and Consistency (TCC) provides a new parallel programming model that uses transactions as the basic unit of parallel work and communication, TCC simplifies the development of correct parallel code because hardware provides transaction atomicity and ordering. Nevertheless, the programmer or a dynamic compiler must still optimize the parallel code for performance. This paper presents TAPE, a hardware and software infrastructure for profiling in TCC systems. TAPE extends the ...

3 SPLASH: Stanford parallel applications for shared-memory

Jaswinder Pal Singh, Wolf-Dietrich Weber, Anoop Gupta

March 1992 ACM SIGARCH Computer Architecture News, Volume 20 Issue 1

Publisher: ACM Press

Full text available: pdf(3.04 MB) Additional Information: full citation, abstract, citings, index terms

We present the Stanford Parallel Applications for Shared-Memory (SPLASH), a set of parallel applications for use in the design and evaluation of shared-memory



The ACM Digital Library C The Guide Search:

share cutomer profile with servers or providers

SEARCH



Feedback Report a problem Satisfaction survey

Terms used share cutomer profile with servers or providers

Found **39,792** of **184,245**

Sort results by

Display

results

relevance

expanded form

Save results to a Binder Search Tips

Open results in a new

Try an Advanced Search Try this search in The ACM Guide

window

Result page: 1 2 3 4 5 6 7 8 9 10

next Relevance scale 🔲 📟

Results 1 - 20 of 200 Best 200 shown

Cluster resource management: Resource overbooking and application profiling in





shared hosting platforms

Bhuvan Urgaonkar, Prashant Shenoy, Timothy Roscoe

December 2002 ACM SIGOPS Operating Systems Review, Volume 36 Issue SI

Publisher: ACM Press

Full text available: pdf(2.00 MB)

Additional Information: full citation, abstract, references, citings

In this paper, we present techniques for provisioning CPU and network resources in shared hosting platforms running potentially antagonistic third-party applications. The primary contribution of our work is to demonstrate the feasibility and benefits of overbooking resources in shared platforms, to maximize the platform yield: the revenue generated by the available resources. We do this by first deriving an accurate estimate of application resource needs by profiling applications on dedicated no ...

2 Ubiquitous WWW: Profiles for the situated web



Lalitha Suryanarayana, Johan Hjelm

May 2002 Proceedings of the 11th international conference on World Wide Web Publisher: ACM Press

Full text available: pdf(263.89 KB) Additional Information: full citation, abstract, references, index terms

The World Wide Web is evolving into a medium that will soon make it possible for conceiving and implementing situation-aware services. A situation-aware or situated web application is one that renders the user with an experience (content, interaction and presentation) that is so tailored to his/her current situation. This requires the facts and opinions regarding the context to be communicated to the server by means of a profile, which is then applied against the description of the application o ...

Keywords: CC/PP, XML, profiles, situated-aware applications, vocabulary, web architecture

3 Wireless amd Mobile Networks Performance: Supporting diverse mobile applications



with client profiles


Laura Bright, Samrat Bhattacharjee, Louiga Raschid

September 2002 Proceedings of the 5th ACM international workshop on Wireless mobile multimedia

Publisher: ACM Press

Full text available:

Additional Information:



Publisher: ACM Press
Full text available: pdf(497.02 KB) Additional Information: full citation, abstract, references, citings

Personalization generally refers to making a Web site more responsive to the unique and individual needs of each user. We argue that for personalization to work effectively, detailed and interoperable user profiles should be globally available for authorized sites, and these profiles should dynamically reflect the changes in user interests. Creating user profiles from user click-stream data seems to be an effective way of generating detailed and dynamic user profiles. However a user profile gener ...

² FieldWise: a mobile knowledge management architecture

Henrik Fagrell, Kerstin Forsberg, Johan Sanneblad

December 2000 Proceedings of the 2000 ACM conference on Computer supported cooperative work

Publisher: ACM Press


Full text available: pdf(470.03 KB)

Additional Information: full citation, abstract, references, citings, index terms

The paper presents results of a research project that has aimed at developing a knowledge management architecture for mobile work domains. The architecture developed, called FieldWise, was based on fieldwork in two organisations and feedback from users of prototype systems. This paper describes the empirically grounded requirements of FieldWise, how these have been realised in the architecture, and how the architecture has been implemented in the news journalism domain. FieldWise adds to th ...

Keywords: hand-held devices, knowledge management, mobile CSCW, organisational memory

3 Supporting activities: Proactive support for the organization of shared workspaces



November 2005 Proceedings of the 2005 international ACM SIGGROUP conference on